KGMP 적격업체제품

일반의약품
분류번호 : 325

100% 천연아미노산 製劑

엘씨500 연질캡슐

(엘-시스틴)

엘씨 500은 인체내 고형 단백질의 가장 중요한 성분인 L-Cystine을 주성분으로 한 제제로서 천연의 자원으로부터 분리추출하여 순수하게 정제된 L-Cystine을 함유한 연질캡슐제입니다.

【 성분과 화학 】

천연의 자연자원에서 추출정제한 백색의 결정성 분말로서 강열하면 약 0.1%만 남습니다. 생체내에서 환원되어 두 분자의 Cysteine(일명 : half cystine)을 생성하며, 이 반응은 쉽게 가역적으로 일어나 -SH기의 공여 등 생체산화환원 시스템에 중요한 역할을 합니다.



【 원료약품 및 그 분량 】 1캡슐중

엘-시스틴(유럽약전)	500mg
파라옥시안식향산메칠(약전)	1.15mg
파라옥시안식향산프로필(약전)	0.2mg

【 성 상 】

유백색의 액상물질을 함유한 주황색의 연질캡슐제

【 효능 · 효과 】

1. 전신권태
2. 약물에 의한 피부염
3. 기미, 주근깨, 햇볕에 탄데 등의 색소침착증
4. 습진, 두드러기, 피부발진, 여드름
5. 손톱, 발톱이나 머리카락이 쉽게 갈라지는 등의 각질부위 질환의 치료 및 예방

【 용법 · 용량 】

하루에 1000밀리그람(2캡슐) ~ 2000밀리그람(4캡슐)을 2~3개월 계속 복용하거나 한달 중 10~20일간 복용하십시오.

※식사 1시간 전에 복용하십시오.

【 사용상의 주의사항 】

1. 다음 환자에는 투여하지 마십시오.
   중증 신기능 장애 및 간성혼수
2. 다음의 환자에는 신중히 투여하십시오.
   1) 시스틴뇨증인 경우는 신중히 투여하십시오.
   2) 이 약은 황색 4호(타르트라진)를 함유하고 있으므로 이 성분에 과민하거나 알레르기 병력이 있는 환자에는 신중히 투여하십시오.
3. 복용시 다음 사항에 주의하십시오.
   1) 때때로 구역, 드물게 설사, 구갈, 가벼운 복통 등의 증상이 나타날 수 있습니다.
   2) 정해진 용법 · 용량을 지키십시오.
   3) 소아에 투여할 경우에는 보호자의 지도감독하에 복용시키십시오.(6세 이하 소아에는 투여하지 마십시오.)
4. 복용 중 또는 복용 후는 다음 사항에 주의하십시오.
   1개월 정도 복용하여도 증상의 개선이 없는 경우에는 의사 또는 약사와 상의하십시오.
5. 보관 및 취급상의 주의사항
   1) 어린이의 손이 닿지 않는 곳에 보관하십시오.
   2) 직사일광을 피하고 될 수 있으면 습기가 적고 서늘한 곳에 밀전하여 보관하십시오.
   3) 오용을 피하고 품질을 보호, 유지하기 위해 다른 용기에 넣지 마십시오.

【 저장방법 】 기밀용기

【 포장단위 】 50, 100, 150, 300캡슐

※ 본 의약품은 엄격한 품질관리를 필한 제품입니다. 만약 구입시 사용기한이 경과되었거나 변질 · 변패 · 오염되거나 손상된 의약품은 구입하신 약국을 통하여 교환하여 드립니다.

※ 대표전화 : 02-2672-1122, 제품문의 : 080-655-1414

개정년월일 : 2003. 6. 14

I-0301

GUJU 구주제약주식회사
경기도 화성시 정남면 제기리 341-1
www.gujup.co.kr

Amino-Acid Preparation Containing Natural Sulfur

LC-500 Soft Capsule

(L-Cystine)

LC 500 is a unique formula containing a high dose, 500mg of L-Cystine per one capsule, which exerts comprehensive actions in the level of cellular metabolism thus acting the homeostatic role in maintaining and recovering the normal physical condition by controlling the biochemical oxidation-reduction system.

The active substance, L-Cystine of LC500 is also the main principle of the oriental wonder drug which is officially named Cervi Cornu pantotrichum, the authorization of whose pharmacology is dating back to many couples of hundred years ago. It is scientifically recognized that L-Cystine is an essential growth factor, and according to the recommendation of WHO (World Health Organization), the most baby food of mammalian milk is to contain L-Cystine.

Some examples of medical appearance resulting from the biochemical action of L-Cystine are disappearance of the moles on the face, increase of freshness and elasticity to the skin tissues and flexibility of hairs and rate of hair-budding, and increase of stamina level by fortifying the function of high energy ATP bond formation.

【Chemical Properties】

The active substance, L-Cystine is a white crystalline powder refined out of a natural resource and it leaves approximately 0.1% of residue on igniting. It is easily reduced to form two molecules of L-Cysteine and therefore the latter is often called half cystine.
The formation is very reversible when the body needs either of two different chemical figures, donating -SH radical to the other biochemical system.

【Composition】

Each capsule contains,

L—Cystine	500mg
Methyl parahydroxy benzoate	1.15mg
Propyl parahydroxy benzoate	0.2mg

【Characteristics】

1. Removing the matters and factors of fatigue in the hepatic circulation and stimulating the regeneration of ill and damaged liver tissue.
2. Improving the dysfunction of metabolic system and contributing to the formation of granulation tissue and subsequent epithelization in case of burn and other skin eruption.
3. Actively replenishing nutritional source in deficiency of keratin and increasing the rate of hair-budding.
4. Fortifying the function of high-energy bond formation and elevating the physical stamina level.
5. Reducing and excreting the peroxides, and removing freckles, moles and other oxidized tinge on upper part of the body such as face.

【Indications】

1. Physical Fatigue
2. Dermatitis due to some medicines
3. Hyperpigmentation such as freckles, lentigo and sun-burn
4. Acne, Eczema, Urticaria, Skin Eruption
5. Skin disorders due to the lack of keratin i.e. loss of hair and weak nails.

【Dosage & administration】

Take 2~4 capsules a day with an appropriate intervals.

【Precautions】

1. Contraindicated in case of severe renal disorder and hepatic coma.
2. Carefully administered in case of cystinuria.

【Storage】

Store in a dry and cool place, keeping out of the reach of children as in the case of all other drugs.

【How Supplied】

50, 100, 150, 300 capsules